

Model:

HW

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|--------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | kCal | |
| HW5208 | 525 | 535 | 8 | 400 | 345 | 500 |
| HW5210 | 525 | 645 | 10 | 500 | 432 | 500 |
| HW5213 | 525 | 810 | 13 | 650 | 561 | 500 |

www.havayesh.com

021-73092

Model:

A

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | kCal | |
| A4110 | 410 | 1800 | 10 | 1584 | 1363 | 410 |
| A4912 | 490 | 1800 | 12 | 1900 | 1635 | 490 |
| A6115 | 610 | 1800 | 15 | 2970 | 2044 | 610 |
| A8120 | 810 | 1800 | 20 | 3168 | 2750 | 810 |

Model:

AT

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|--------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | kCal | |
| AT3609 | 360 | 1800 | 9 | 1386 | 1192 | 360 |
| AT5213 | 520 | 1800 | 13 | 1980 | 1704 | 520 |
| AT6817 | 680 | 1800 | 17 | 2574 | 2215 | 680 |

Model:

B

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|--|-------------|
|-------|----------|-----------|--------------|-------------|--|-------------|

| | | | | Watts | kCal | |
|--|--|--|--|-------|------|--|
|--|--|--|--|-------|------|--|

| | | | | | | |
|--------|------|-----|----|------|------|-----|
| B6529 | 650 | 525 | 29 | 1520 | 1320 | 500 |
| B8739 | 875 | 525 | 39 | 2048 | 1780 | 500 |
| B11049 | 1100 | 525 | 49 | 2570 | 2230 | 500 |

Model:

C

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|--------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | kCal | |
| C5315 | 530 | 525 | 15 | 939 | 810 | 500 |
| C7020 | 705 | 525 | 20 | 1252 | 1080 | 500 |
| C8825 | 880 | 525 | 25 | 1566 | 1350 | 500 |
| C10530 | 1056 | 525 | 30 | 1879 | 1620 | 500 |

Models:

E



| Model | Width[w] | Height[H] | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|--------------|-------------|
| E9115 | 600 | 910 | 15 | 714 Watts | 619 kcal |

Model:

2E

Model Width[w] Height[H] No. of Blade Output Heat Connections

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|---------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | KCal | |
| 2E5912 | 600 | 590 | 12 | 415 | 358 | 50 |
| 2E8918 | 600 | 890 | 18 | 623 | 537 | 50 |
| 2E11924 | 600 | 1190 | 24 | 830 | 716 | 50 |

Model:

2SE

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
|-------|----------|-----------|--------------|-------------|-------------|

| | | | | Watts | KCal | |
|--|--|--|--|-------|------|--|
|--|--|--|--|-------|------|--|

| | | | | | | |
|----------|-----|------|----|-----|-----|----|
| 2SE7412 | 600 | 740 | 12 | 415 | 358 | 50 |
| 2SE11418 | 600 | 1140 | 18 | 623 | 537 | 50 |
| 2SE15424 | 600 | 1540 | 24 | 830 | 716 | 50 |



Model:

F

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | | Connections |
|--------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | kCal | |
| F7415 | 740 | 600 | 15 | 1044 | 900 | 500 |
| F9920 | 990 | 600 | 20 | 1392 | 1200 | 500 |
| F12425 | 1240 | 600 | 25 | 1740 | 1500 | 500 |

Model:

FT

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|--|-------------|
|-------|----------|-----------|--------------|-------------|--|-------------|

| | | | | Watt | Kcal | |
|---------|------|-----|----|------|------|-----|
| FT7919 | 790 | 600 | 19 | 1183 | 1020 | 500 |
| FT10425 | 1040 | 600 | 25 | 1554 | 1340 | 500 |
| FT12931 | 1290 | 600 | 31 | 1925 | 1660 | 500 |



Model:

FW

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
|-------|----------|-----------|--------------|-------------|-------------|

| | | | | Watts | KCal | |
|---------|------|-----|----|-------|------|-----|
| FW7415 | 740 | 600 | 15 | 1044 | 900 | 500 |
| FW9920 | 990 | 600 | 20 | 1392 | 1200 | 500 |
| FW12425 | 1240 | 600 | 25 | 1740 | 1500 | 500 |

Model:

H

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watt | kcal | |
| H5208 | 525 | 535 | 8 | 400 | 345 | 500 |
| H5210 | 525 | 645 | 10 | 500 | 432 | 500 |
| H5213 | 525 | 810 | 13 | 650 | 561 | 500 |

Model:

HW

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|--------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | KCal | |
| HW5208 | 525 | 535 | 8 | 400 | 345 | 500 |
| HW5210 | 525 | 645 | 10 | 500 | 432 | 500 |
| HW5213 | 525 | 810 | 13 | 650 | 561 | 500 |



Model:

I

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | kCal | |
| I2603 | 260 | 1800 | 3 | 2376 | 2044 | 260 |
| I3504 | 350 | 1800 | 4 | 3168 | 2726 | 350 |
| I4405 | 440 | 1800 | 5 | 3960 | 3408 | 440 |
| I5306 | 530 | 1800 | 6 | 4752 | 4089 | 530 |

Model:

L & LW

LW

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
| L5512 | 550 | 1200 | 12 | 1440 | 1200 |

Watts kcal

550

Model:

LI

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|--------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | Kcal | |
| LI1201 | 1200 | 40 | 1 | 114 | 98 | 1200 |

Model:

MA

| Model | Width[w] | Height[H] | No.of Blade | Output Heat | Connections |
|-------|----------|-----------|-------------|-------------|-------------|
|-------|----------|-----------|-------------|-------------|-------------|

| | | | | Watts | kcal | |
|--------|-----|------|----|-------|------|-----|
| MA4110 | 410 | 1300 | 10 | 1108 | 954 | 410 |
| MA4912 | 490 | 1300 | 12 | 1329 | 1144 | 490 |
| MA6115 | 610 | 1300 | 15 | 2078 | 1430 | 610 |
| MA8120 | 810 | 1300 | 20 | 2217 | 1908 | 810 |

Models:

NA

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
|-------|----------|-----------|--------------|-------------|-------------|

| | | | | Watt | kCal | |
|--------|-----|------|---|------|------|-----|
| NA1903 | 190 | 1800 | 3 | 776 | 675 | 190 |
| NA2504 | 255 | 1800 | 4 | 1030 | 900 | 255 |
| NA3205 | 320 | 1800 | 5 | 1290 | 1125 | 320 |
| NA3806 | 385 | 1800 | 6 | 1550 | 1350 | 385 |
| NA4507 | 450 | 1800 | 7 | 1810 | 1575 | 450 |

Model:

NE

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
|-------|----------|-----------|--------------|-------------|-------------|

| | | | | | |
|--------|-----|-----|----|-----|----|
| NE9010 | 600 | 900 | 10 | 793 | 50 |
|--------|-----|-----|----|-----|----|

Watts

KCal

50

Models:

2F

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
|-------|----------|-----------|--------------|-------------|-------------|

| | | | | W/m | kCal | |
|---------|------|-----|----|------|------|-----|
| 2F8829 | 880 | 600 | 29 | 2018 | 1740 | 500 |
| 2F11839 | 1180 | 600 | 39 | 2714 | 2340 | 500 |
| 2F14249 | 1420 | 600 | 49 | 3410 | 2940 | 500 |

Model:

NH

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|--|-------------|
|-------|----------|-----------|--------------|-------------|--|-------------|

| | | | | Watts | Kcal | |
|--------|-----|------|----|-------|------|-----|
| NH5208 | 525 | 830 | 8 | 600 | 520 | 500 |
| NH5210 | 525 | 970 | 10 | 747 | 650 | 500 |
| NH5213 | 525 | 1180 | 13 | 970 | 845 | 500 |
| NH5215 | 525 | 1320 | 15 | 1120 | 975 | 500 |

Model:

NW

| Model | Width(w) | Height(H) | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
|-------|----------|-----------|--------------|-------------|-------------|

| | |
|---------|------|
| NW12007 | 1200 |
|---------|------|

| |
|-----|
| 450 |
|-----|

| |
|---|
| 7 |
|---|

| Watts |
|-------|
|-------|

| |
|------|
| 1050 |
|------|

| kCal |
|------|
|------|

| |
|------|
| 1050 |
|------|

| |
|------|
| 1175 |
|------|

Model:

P

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watt | Kcal | |
| P3208 | 320 | 1800 | 8 | 1584 | 1363 | 320 |
| P4010 | 400 | 1800 | 10 | 1980 | 1704 | 400 |
| P4812 | 480 | 1800 | 12 | 2376 | 2044 | 480 |

Model:

V

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | | Connections |
|-------|----------|-----------|--------------|-------------|------|-------------|
| | | | | Watts | kCal | |
| V1502 | 1500 | 90 | 2 | 238 | 205 | 1200 |
| V1503 | 1500 | 140 | 3 | 357 | 308 | 1200 |
| V1504 | 1500 | 190 | 4 | 476 | 411 | 1200 |
| V1505 | 1500 | 240 | 5 | 595 | 514 | 1200 |

Model:

W

| Model | Width[w] | Height[H] | No. of Blade | Output Heat | Connections |
|-------|----------|-----------|--------------|-------------|-------------|
|-------|----------|-----------|--------------|-------------|-------------|

| | | | | Watts | KCal | |
|--------|------|-----|----|-------|------|------|
| W12017 | 1200 | 670 | 17 | 1620 | 1404 | 1200 |

www.havayesh.com

021-73092